




STAINLESS STEEL



OPHTHER OPTIONS

- Large, easily identifiable, push buttons
- Can be 'daisy-chained' for multiple call points and increased accessibility
- Reassurance indicator, local buzzer, IP65 gaskets available
- Mounts on standard UK, 35mm, single gang, back box (anti-tamper fixings available)
- Alarm controller, interface and termination options for all Folknoll alarm systems
- Standard designs and custom faceplates available
- Suitable for use in public areas

EMERGENCY ASSISTANCE ALARMS

Ensure accessibility and compliance across your **PUBLIC BUILDINGS** with Folknoll's robust, cost-effective emergency assistance alarms. Engineered for vandal resistance and compatible with **BS 8300-2** and **DOCUMENT M**. Our impressive range offers stand-alone solutions for small sites and multi-channel solutions for larger sites with a comprehensive portfolio of remote monitoring options - including dedicated cabling, SMS, Audio, networked and IP audio. Perfect for **TOILETS, BATHROOMS, CHANGING PLACES**, etc.

SINGLE GANG ALARM RESET UNITS

Our reset units are used to reset/cancel activated alarms. Reset units are usually installed in the alarm zone to ensure that are not reset remotely. (This is a requirement to comply with emergency assistance and other standards).

REASSURANCE INDICATOR

The button illumination is usually wired to mimic the action of the over-door beacon, giving the user positive visual alarm state indication within the alarm zone. Other configurations available on request.

MOUNTING

These units are all designed to be mounted on standard UK >35mm, single-gang back boxes. Anti-tamper fixings and IP65 kits are available on request.

FACEPLATE

Our standard faceplate is made from brushed finish stainless-steel with black lettering. We also offer a large range of vandal resistant and decorative faceplates. Please refer to Faceplate Options below for a complete list.


CUSTOM DESIGNS

As original manufacturer, we offer a complete customisation service for all of our products. For an in-depth consultation with one of our great engineers, contact us now with your requirements

ALARM CONTROLLERS AND INTERFACES


Folknoll Single Gang Alarm Reset units are fitted with optional controllers, interfaces and terminations to match various Folknoll alarms systems.

STANDARD INTERFACE




The standard interface option allows connection to external controllers and is suitable for use as a reset or additional reset for with basic, enhanced and network (SVR) controllers.

NIOSPro INTERFACE



The NIOSPro interface option offers a standard interface with an additional buzzer. It is designed for use with Folknoll NIOSPro networked alarms systems, although it can also be used as a reset or additional reset for with basic, enhanced and network (SVR) controllers.


BASIC CONTROLLER



The basic controller option offers a simple alarm control system, complete with activation delay to reduce accidental activation, pull cord / call button monitoring, beacon/sounder control, reset function. This option is suitable for use with stand-alone and Folknoll RS484, SNI, NIOS and similar systems.

THIS CONTROLLER IS NOT BS 8300-2 EMERGENCY ASSISTANCE COMPATIBLE









ENHANCED CONTROLLER OPTION



The enhanced controller option offers a fully compatible emergency assistance alarm controller, complete with local and remote timed acknowledge function. This is suitable for use as a stand-alone BS 8300-2 alarm controller with or without remote monitoring. This system is compatible with remote monitoring and acknowledge Folknoll RS485, SNI, NIOS, IP INTERCOM and similar systems.

BS 8300 COMPATIBLE

OPTIONS

FACEPLATE	FEATURES	STANDARD INTERFACE	NIOSPro INTERFACE	BASIC CONTROLLER	ENHANCED CONTROLLER
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indication Tough, vandal-resistant, brushed finish, stainless steel plate Black text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	DT7540.00F	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indicator Tough, vandal-resistant, brushed finished stainless steel plate Red text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indicator Tough, vandal-resistant, brushed finished stainless steel Black tactile text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indicator Tough, vandal-resistant, brushed finished stainless steel Red tactile text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Black mushroom button with red LED reassurance indicator Light brushed finish, brass plated steel Black screened text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Black mushroom button with red LED reassurance indicator Polished finish, chrome plated steel Black screened text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indication Steel with acrylic overlay Black tactile and Braille text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL
	<ul style="list-style-type: none"> Vandal resistant, push button with red LED reassurance indication Acrylic face plate Black tactile text 	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL	CONTACT FOLKNOLL

COMMON SPECIFICATIONS

Mounting:	Standard UK, 35mm, single gang, back box (not supplied)
Dimensions:	Width: 86mm, height: 86mm, depth: <35mm (approx.)
Power:	12Vdc / 24Vdc

ABOUT FOLKNOLL

We are a UK based systems design, manufacturing and installation company. Since 1975 we have been supplying tough, reliable, practical, alarm and control systems for the private and public sectors. All of our products and systems have been designed for easy installation and low maintenance by experienced engineers. As original manufacturers, all of our products and systems can be customised to suit your requirements. We also offer individual annotation, custom engraving and special finishes for all of our equipment.

GET IN TOUCH

Contact us now for further information about our range of great products and services. Find out how we can provide a cost-effective solution for you.



19 Old North Rd, Royston, HERTS, SG8 5DT, UK

Folknoll Group Ltd

www.folknoll.co.uk

+44 (0) 1763 234567

enquiries@folknoll.co.uk